


.... FUSION Integrated



Features and Technical Specifications









Revitalise • Rejuvenate • Recover

FUSION Integrated

Redefine What's Possible in Your Pool





Features

- MEDICAL-GRADE STAINLESS STEEL CONSTRUCTION
- 10" HMI TOUCH SCREEN POOLSIDE INTERFACE
- REMOTE CONTROL FROM PORTABLE DEVICE (PHONE OR TABLET)
- ENHANCED TREADMILL SYSTEM MONITORING
- INTUITIVE CONTROLS
- PRE-SET TREADMILL SPEEDS
- SITS FLUSH WITH THE POOL'S FLOOR
- TREADMILL SPEED RANGE: 0.2 TO 10KPH

Optional Extras

- REMOVABLE FRONT OR SIDE HANDRAILS
- TABLET FOR PORTABLE DEVICE CONTROL





Technical Specifications

| Maximum user load | 250kg (Assuming 50% weight bearing in water) |
|---|---|
| Treadmill speed range | 0.2 - 10kph (0.12 - 6.2mph) |
| Recommended water depth | 1.0m - 1.3m (39" - 51") |
| Trainer dimensions (including display) | L 1750mm (69") x W 935mm (37") x H 1790mm (70.5") |
| Training area | L 1215mm (48") x W 575mm (22.6") |
| Complete system weight | 200kg (441 lbs) |
| Height of treadmill belt from pool floor | 150mm (5.9") |
| Max. distance from main control panel to treadmill | 15m (590") |
| Max. distance from main control panel to operator panel | 15m (590") |
| Main drive | Drum motor 17V AC Drive |
| Power | 220/240V single phase 50/60hz 16A |


Generic layout

The system is comprised of following main components:

1 Treadmill

- 3 Operator Control Panel
- 2 Side Handrails

4 Main Electrical Controls Panel



Room layouts are critical to a successful installation and system functionality which is why we offer a layout design service. There are several layout configurations to consider such as ceiling height, floor loading, pipping, decking etc.

Manufacturing Standards

HYDRO PHYSIO systems are manufactured under the Quality Management Systems, BS EN ISO 9001:2015 within an FDA registered facility which operates an Occupational Health & Safety Management System (complying with the requirements of BS EN ISO 45001:2018).

This system carries a CE mark indicating conformity with health, safety, and environmental protection standards for products sold within the European Economic area as well as being an internationally recognised standard.

Sold through our International Distributor Network





Solution

Our Sales/Project Management team will advise on the best solution to suit all requirements.



Design

All designs are based on market requirements, whilst ensuring compliance with the relevant standards.



Manufacture

Units are manufactured in the UK at our modern, ISO accredited facility.



Installation

Our dedicated installation teams are trained to the highest standards (service limited to specific countries).



Support

Our in-house UK service team supports both customers and regional distributors.



Finance

Leasing options available (UK customers only. Distributors may offer their own agreements).

More than 1,000 HYDRO PHYSIO Systems Installed Worldwide







Contact us today to learn more about Hydro Physio

+44 (0)1952 885112 human@hydrophysio.com hydrophysio.com











Broseley, Telford, Shropshire, TF12 5JA United Kingdom

HYDRO PHYSIO



